according to Regulation (EC) No 1907/2006



Neutraler Kraftreiniger

Revision date: 26.04.2021

Product code: 00514-0004

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Neutraler Kraftreiniger

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaning agent

1.3. Details of the supplier of the safety data sheet

Company name:	Planol GmbH + Co. KG	
Street:	Maybachstr. 17	
Place:	D-63456 Hanau	
Telephone:	+49 (0) 6181 94570-10	Telefax:+49 (0) 6181 94570-29
Internet:	www.planol.de	
Responsible Department:	Labor	
1.4. Emergency telephone	+49 (0) 6132 / 84463 (GBK GmbH)	
<u>number:</u>		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Serious eye damage/eye irritation: Eye Irrit. 2 Hazard Statements: Causes serious eye irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word:

Pictograms:



Warning

Hazard statements

H319

Causes serious eye irritation.

Precautionary statements

P280	Wear protective gloves/eye protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

Additional advice on labelling

The product is labeled in accordance with Regulation (EC) no. 1272/2008 (GHS).

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Aqueous cleansing agent with surfactants

Revision No: 1,5 - Replaces version: 1,4





according to Regulation (EC) No 1907/2006



Neutraler Kraftreiniger

Revision date: 26.04.2021

Product code: 00514-0004

Page 2 of 9

Hazardous components

CAS No	Chemical name	Chemical name				
	EC No	Index No	REACH No			
	GHS Classification					
78330-20-8	Alcohols, C9-11-iso-, C10-r	ich, ethoxylated		1 - < 5 %		
	Acute Tox. 4, Eye Dam. 1; I					
7664-38-2	phosphoric acid	1 - < 5 %				
	231-633-2	015-011-00-6	01-2119485924-24			
	Met. Corr. 1, Acute Tox. 4,	Skin Corr. 1B; H290 H302 H314				
111-76-2	2-butoxyethanol, butyl cello	solve, ethylene glycol monobutyl	ether	1 - < 5 %		
	203-905-0	603-014-00-0	01-2119475108-36			
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H332 H312 H302 H315 H319					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	c Chemical name			
	Specific Conc. I	Limits, M-factors and ATE			
78330-20-8		Alcohols, C9-11-iso-, C10-rich, ethoxylated			
	oral: ATE = 500) mg/kg			
7664-38-2	231-633-2	1 - < 5 %			
	oral: ATE = 500 Irrit. 2; H319: >:	0 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye = 10 - < 25			
111-76-2	203-905-0 2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether		1 - < 5 %		
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: LD50 = 470 mg/kg				

Further Information

Ingredients according to EC Detergents Regulation 648/2004: Non-ionic surfactants: < 5 % fragrances, LIMONENE, CITRAL

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No specific precautions required.

After inhalation

Ensure of fresh air. If symptoms persist, call a physician.

After contact with skin

Wash hands with water as a precaution. Consult a doctor if skin irritation persists.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists consult a physician.

After ingestion

Rinse out mouth and give plenty of water to drink. If symptoms persist, call a physician.


4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

Revision No: 1,5 - Replaces version: 1,4



according to Regulation (EC) No 1907/2006

Planol 루

Neutraler Kraftreiniger

Revision date: 26.04.2021

Product code: 00514-0004

Page 3 of 9

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam, carbon dioxide (CO2), dry chemical, water-spray

5.2. Special hazards arising from the substance or mixture

No data available

5.3. Advice for firefighters No specific fire preventions necessary.

Additional information

Product does not burn, fire-extinguishing activities according to surrounding.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. High risk of slipping due to leakage/spillage of product.

For non-emergency personnel

Avoid contact with skin, eyes and clothing.

For emergency responders

Use personal protective clothing. Remove persons to safety.

6.2. Environmental precautions

Dilute with plenty of water.

6.3. Methods and material for containment and cleaning up

Other information

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder). No release of hazardous substances.

6.4. Reference to other sections

Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed. Use personal protective clothing. Avoid contact with eyes and skin.

Advice on protection against fire and explosion

No special precautions required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

No special precautions required.

Hints on joint storage

Not required.

Further information on storage conditions

Keep container tightly closed.


Keep from freezing.

7.3. Specific end use(s)

Cleaning agent

SECTION 8: Exposure controls/personal protection

Revision No: 1,5 - Replaces version: 1,4



according to Regulation (EC) No 1907/2006



Neutraler Kraftreiniger

Revision date: 26.04.2021

Product code: 00514-0004

Page 4 of 9

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
111-76-2	2-Butoxyethanol	25	123		TWA (8 h)	WEL
		50	246		STEL (15 min)	WEL
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	butoxyacetic acid (creatinine)	240 mmol/mol		Post shift

Additional advice on limit values

The product contains no relevant quantities of materials with critical values that require monitoring at the workplace.

8.2. Exposure controls

Appropriate engineering controls

No specific technical precautions necessary.

Protective and hygiene measures

Take the usual precautions when handling with chemicals.

Eye/face protection

During transferring safety goggles are recommended. In case of eye contact wear safety goggles or face protection Tightly fitting goggles (EN 166).

Hand protection

Protective gloves (EN 374).

Neoprene gloves. (recommended: minimum protection index 2, corresponding to a permeation rate > 30 minutes according to EN 374)

Not suitable: leather gloves.

Follow the recommendations of the glove manufacturer for breakthrough properties especially for workplace conditions involving mechanical stress and contact duration. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Skin protection

Wear protective clothing.

Respiratory protection

Not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties						
Physical state: Colour:	Liquid Green					
Odour: pH-Value (at 20 °C):	Pleasant, Limonene	7,0 (concentrated)				
Changes in the physical state Melting point:		No data available				

Revision No: 1,5 - Replaces version: 1,4





according to Regulation (EC) No 1907/2006



Neutraler Kraftreiniger				
Revision date: 26.04.2021	Product code: 00514-0004	Page 5 of 9		
Boiling point or initial boiling point and boiling range:	No data available			
Flash point:	No data available			
Sustaining combustion:	Not sustaining combustion			
Explosive properties The product is not explosive.				
Auto-ignition temperature:	No data available			
Decomposition temperature:	No data available			
Oxidizing properties Not fire-promoting.				
Vapour pressure:	No data available			
Density (at 20 °C):	1,050 g/cm³			
Water solubility: (at 20 °C)	Completely miscible			
Solubility in other solvents No data available				
Partition coefficient n-octanol/water:	No data available			
Viscosity / dynamic:	No data available			
Viscosity / kinematic:	No data available			
9.2. Other information				
No data available				
SECTION 10: Stability and reactivity				
<u>10.1. Reactivity</u> No uncommon reactivity known. 10.2. Chemical stability				

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat. Keep from freezing.

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

The product has not been tested. No toxicological data available.

Acute toxicity

Based on available data, the classification criteria are not met.

Revision No: 1,5 - Replaces version: 1,4





according to Regulation (EC) No 1907/2006



Neutraler Kraftreiniger

Revision date: 26.04.2021

Product code: 00514-0004

Page 6 of 9

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
78330-20-8	Alcohols, C9-11-iso-, C10-rich, ethoxylated					
	oral	ATE mg/kg	500			
7664-38-2	2 phosphoric acid					
	oral	ATE mg/kg	500			
111-76-2	2-butoxyethanol, butyl ce	ellosolve, eth	ylene glycol	monobutyl ether		
	oral	LD50 mg/kg	470	Ratte		
	dermal	ATE mg/kg	1100			
	inhalation vapour	ATE	11 mg/l			
	inhalation aerosol	ATE	1,5 mg/l			

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
7664-38-2	phosphoric acid							
	Acute fish toxicity	LC50	138 mg/l	96 h	Gambusia affinis			
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether							
	Acute fish toxicity	LC50 mg/l	1490	96 h	Lepomis macrochirus			

12.2. Persistence and degradability

Product is biodegradable. (min. 90%)

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Revision No: 1,5 - Replaces version: 1,4





according to Regulation (EC) No 1907/2006



Neutraler Kraftreiniger

Revision date: 26.04.2021

Product code: 00514-0004

Page 7 of 9

No data available

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether	0,81 (25°C)

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

If appropriate application no interferences in sewage treatment plants. (< 2000mg/l) CSB 5 (chemical oxygen demand) : 210 mg/l

Further information

Do not release undiluted or in higher quantities into the groundwater, sewerage or waters.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Disposal in accordance with local regulations.

List of Wastes Code - residues/unused products

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

. .

e

List of Wastes Code - contaminated packaging

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND 150102 PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Disposal in accordance with local regulations. Cleaning agent: Water

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Revision No: 1,5 - Replaces version: 1,4	GB - EN

. .

Re ion No: 1,5 - Replaces version: 1,4



according to Regulation (EC) No 1907/2006



	Neutraler Kraftreiniger	
Revision date: 26.04.2021	Product code: 00514-0004	Page 8 of
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number:	No dangerous good in sense of this transport regulation.	
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
No dangerous good in sense of th		
14.7. Maritime transport in bulk accordi		
No dangerous good in sense of th	is transport regulation.	
SECTION 15: Regulatory informatio	n	
15.1. Safety, health and environmental	regulations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex X	(VII):	
Entry 3		
2004/42/EC (VOC):	< 5 %	
Information according to 2012/18/EU	Not subject to 2012/18/EU (SEVESO III)	
(SEVESO III):	,	
Additional information		
The product is labeled in accordar	nce with Regulation (EC) no. 1272/2008 (GHS).	
National regulatory information		
Water hazard class (D):	1 - slightly hazardous to water	
15.2. Chemical safety assessment		
	substances in this mixture were not carried out.	
SECTION 16: Other information		
Changes		
This data sheet contains changes	from the previous version in section(s): 2,3,4,5,6,7,8,9,10,11,12,14,15,16.	
Abbreviations and acronyms		
ADR: Accord européen relatif au t	ransport international des marchandises Dangereuses par Route	
· •	ational carriage of Dangerous goods by Road)	
IMDG-Code: International Maritim		
	Organisation (IATA: The International Air Transport Association)	
	m of Classification, Labelling and Packaging of Chemicals	
EINECS: European Inventory of E ELINCS: European List of Notified	ixisting Commercial Chemical Substances	
CAS-Nr.: Chemical Abstracts Serv		
LC50: Lethal concentration, 50%		
LD50: Lethal dose, 50%		
	valuation method according to Regulation (EC) No. 1272/2008 [CLP]	
	ssification procedure	
Olda	Sector Preseduito	

Classification	Classification procedure				
Eye Irrit. 2; H319 Calculation method					
Relevant H and E	Relevant H and EUH statements (number and full text)				
H290	lay be corrosive to metals.				
H302	Harmful if swallowed.				

Revision No: 1,5 - Replaces version: 1,4

H312

Harmful in contact with skin.





according to Regulation (EC) No 1907/2006



Neutraler Kraftreiniger

Revision date: 26.04.2021	Product code: 00514-0004	Page 9 of 9
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



