

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Planol

Planosan ULTRA

Revision date: 31.03.2021

Product code: 00514-0068

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Planosan ULTRA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaning agent

1.3. Details of the supplier of the safety data sheet

Company name: Planol GmbH + Co. KG
Street: Maybachstr. 17
Place: D-63456 Hanau
Telephone: +49 (0) 6181 94570-10
Internet: www.planol.de
Responsible Department: Labor
Telefax: +49 (0) 6181 94570-29

1.4. Emergency telephone number:

+49 (0) 6132 / 84463 (GBK GmbH)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1

Serious eye damage/eye irritation: Eye Dam. 1

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes serious eye damage.

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

phosphoric acid

methanesulphonic acid

2,2'-(octadec-9-enylimino)bisetha

Signal word: Danger

Pictograms:



Hazard statements

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Planol

Planosan ULTRA

Revision date: 31.03.2021

Product code: 00514-0068

Page 2 of 10

or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501 Dispose of contents/container to in accordance with local and national regulations.

Additional advice on labelling

The product is labeled in accordance with Regulation (EC) no. 1272/2008 (GHS).

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Aqueous cleansing agent with surfactants

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	GHS Classification			
7664-38-2	phosphoric acid 75%			30 - 35 %
	231-633-2	015-011-00-6	01-2119485924-24	
	Met. Corr. 1, Skin Corr. 1B; H290 H314			
75-75-2	methanesulphonic acid			5 - < 10 %
	200-898-6	607-145-00-4	01-2119491166-34	
	Met. Corr. 1, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H290 H312 H302 H314 H318 H335			
25307-17-9	2,2'-(octadec-9-enylimino)bisetha			1 - < 5 %
	246-807-3		01-2119510876-35	
	Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H318 H400 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7664-38-2	231-633-2	phosphoric acid 75%	30 - 35 %
	Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25		
75-75-2	200-898-6	methanesulphonic acid	5 - < 10 %
	dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg		
25307-17-9	246-807-3	2,2'-(octadec-9-enylimino)bisetha	1 - < 5 %
	oral: ATE = 500 mg/kg M akut; H400: M=10 M chron.; H410: M=1		

Further Information

Ingredients according to EC Detergents Regulation 648/2004:

Non-ionic surfactants: < 5%

fragrances

SECTION 4: First aid measures

4.1. Description of first aid measures



Planosan ULTRA

Revision date: 31.03.2021

Product code: 00514-0068

Page 3 of 10

General information

Take away from danger area and lay down affected person. Take affected person into fresh air. In case of the person being unconscious put him/her in a stable side position. Do not leave casualty unattended. Consult a physician.

After inhalation

Ensure of fresh air. If symptoms develop, seek medical attention. In case of inhalation of aerosol/mist consult a physician if necessary. If threatening unconsciousness, position and transport in recovery position.

After contact with skin

Wash hands with water as a precaution. Remove contaminated clothing immediately and dispose of safely. Remove the casualty into fresh air and keep him immobile. If symptoms develop, seek medical attention.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult a physician.

After ingestion

Rinse out mouth and give plenty of water to drink. Ensure of fresh air. Seek medical treatment immediately. If symptoms persist, call a physician. Do not provoke vomiting. Consult physician. Attention in case of vomiting - acute danger of suffocating, produced by foaming ingredients. Rinse mouth. Make drink some glasses of water. The decision whether to provoke vomiting is to be taken by a physician.

4.2. Most important symptoms and effects, both acute and delayed

Ingestion causes burns of the upper digestive and respiratory tracts. Hazard of gastric perforation. Watch out. Beware, hazard of foam aspiration.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Foam, carbon dioxide (CO₂), dry chemical, water-spray

Unsuitable extinguishing media

Not known.

5.2. Special hazards arising from the substance or mixture

Not known.

5.3. Advice for firefighters

No specific precautions required.

Additional information

Cool containers at risk with water spray jet. Collect contaminated firefighting water separately, must not be discharged into the drains. Do not discharge into the drains/surface waters/ground water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General measures**

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. High risk of slipping due to leakage/spillage of product.

For non-emergency personnel

Avoid contact with skin, eyes and clothing.

For emergency responders

Use personal protective clothing.

Remove persons to safety.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water. Inform competent authority about release into the sewage, ground or into waters.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Planosan ULTRA

Revision date: 31.03.2021

Product code: 00514-0068

Page 4 of 10

6.3. Methods and material for containment and cleaning up

Other information

Use chemical neutralizers. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder). Shovel into suitable container for disposal. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).
Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed. Use only in thoroughly ventilated areas. Avoid formation of aerosols. Use personal protective clothing. Avoid contact with eyes and skin.

Advice on protection against fire and explosion

No specific precautions required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Provide alkali-resistant floor. Provide floor with bunding.

Hints on joint storage

Do not store with acids.
Do not store together with metals.
Keep away from food, drink and animal feeding stuffs.

Further information on storage conditions

Keep container tightly closed.
Keep from freezing.

7.3. Specific end use(s)

Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

Wash hands before breaks and at the end of workday. Take off immediately all contaminated clothing. Avoid contact with skin, eyes and clothing.

Eye/face protection

Tightly fitting goggles (EN 166).
Eye wash bottle with pure water (EN 15154).

Hand protection

Protective gloves (EN 374).
Neoprene gloves. (recommended: minimum protection index 2, corresponding to a permeation rate > 30 minutes according to EN 374)



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Planol 

Planosan ULTRA

Revision date: 31.03.2021

Product code: 00514-0068

Page 5 of 10

Not suitable: leather gloves.

Follow the recommendations of the glove manufacturer for breakthrough properties especially for workplace conditions involving mechanical stress and contact duration. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Skin protection

Wear protective clothing.

Respiratory protection

In case of insufficient ventilation or long-term effect wear suitable respiratory equipment. Filter type A-P2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Red
Odour:	Product-specific/Pleasant
pH-Value (at 20 °C):	approx. 0,3 (concentrated)

Changes in the physical state

Melting point:	No data available
Boiling point or initial boiling point and boiling range:	No data available
Flash point:	No data available
Sustaining combustion:	Not sustaining combustion

Explosive properties

The product is not explosive.

Lower explosion limits:	No data available
Upper explosion limits:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available

Oxidizing properties

Not fire-promoting.

Vapour pressure: (at 20 °C)	No data available
Density (at 20 °C):	1,16 g/cm ³
Water solubility: (at 20 °C)	Completely miscible

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:	No data available
Viscosity / dynamic:	> 300 mPa·s
Viscosity / kinematic:	No data available

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

May be corrosive to metals.

10.2. Chemical stability



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Planol 

Planosan ULTRA

Revision date: 31.03.2021

Product code: 00514-0068

Page 6 of 10

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Alkalies

Reactions with various metals.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

Keep from freezing.

10.5. Incompatible materials

Bases.

Strong oxidizing agents

Do not use metal containers or metal tools for picking up the product.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

The product has not been tested. No toxicological data available.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
75-75-2	methanesulphonic acid				
	oral	ATE 500 mg/kg			
	dermal	ATE 1100 mg/kg			
25307-17-9	2,2'-(octadec-9-enylimino)bisetha				
	oral	ATE 500 mg/kg			

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

No sensitizing effect known.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

Ingestion causes burns of the upper digestive and respiratory tracts. Hazard of gastric perforation. Watch out.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Planol

Planosan ULTRA

Revision date: 31.03.2021

Product code: 00514-0068

Page 7 of 10

Beware, hazard of foam aspiration.

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7664-38-2	phosphoric acid 75%					
	Acute fish toxicity	LC50	138 mg/l	96 h	Gambusia affinis	

12.2. Persistence and degradability

Product is biodegradable. (min. 90%)

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

If appropriate application no interferences in sewage treatment plants. (< 2000mg/l)

Further information

Do not release undiluted or in higher quantities into the groundwater, sewerage or waters.

Risk of drinking water contamination even when low quantities are released into the ground.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not empty into drains. Product rests: send for disposal, e.g. special waste incineration. Can be disposed of after chemical and physical treatment, when in compliance with local regulations.

List of Wastes Code - residues/unused products

200114 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); Acids; hazardous waste

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Disposal in accordance with local regulations.

Cleaning agent: Water

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:

UN 1760



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Planol

Planosan ULTRA

Revision date: 31.03.2021

Product code: 00514-0068

Page 8 of 10

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (phosphoric acid; orthophosphoric acid ...
%, methanesulphonic acid, 2,2'-(octadec-9-enylimino)bisetha)

14.3. Transport hazard class(es): 8

14.4. Packing group: III

Hazard label: 8



Classification code: C9

Special Provisions: 274

Limited quantity: 5 L

Excepted quantity: E1

Transport category: 3

Hazard No: 80

Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number: UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (phosphoric acid; orthophosphoric acid ...
%, methanesulphonic acid, 2,2'-(octadec-9-enylimino)bisetha)

14.3. Transport hazard class(es): 8

14.4. Packing group: III

Hazard label: 8



Classification code: C9

Special Provisions: 274

Limited quantity: 5 L

Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number: UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (Phosphoric acid ... %; orthophosphoric
acid, methanesulphonic acid, 2,2'-(octadec-9-enylimino)bisethanol)

14.3. Transport hazard class(es): 8

14.4. Packing group: III

Hazard label: 8



Special Provisions: 223, 274

Limited quantity: 5 L

Excepted quantity: E1

EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (Phosphoric acid ... %; orthophosphoric
acid, methanesulphonic acid, 2,2'-(octadec-9-enylimino)bisethanol)

14.3. Transport hazard class(es): 8

14.4. Packing group: III



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Planol 

Planosan ULTRA

Revision date: 31.03.2021

Product code: 00514-0068

Page 9 of 10

Hazard label:

8



Special Provisions:

A3 A803

Limited quantity Passenger:

1 L

Passenger LQ:

Y841

Excepted quantity:

E1

IATA-packing instructions - Passenger:

852

IATA-max. quantity - Passenger:

5 L

IATA-packing instructions - Cargo:

856

IATA-max. quantity - Cargo:

60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Take the usual precautions when handling with chemicals.

14.7. Maritime transport in bulk according to IMO instruments

The transport takes place only in approved and appropriate packaging.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to 2012/18/EU
(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

Additional information

The product is labeled in accordance with Regulation (EC) no. 1272/2008 (GHS).

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

Water hazard class (D):

3 - highly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,5,6,7,9,10,11,12,15.

Abbreviations and acronyms

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (Agreement concerning the international carriage of Dangerous goods by Road)

IMDG-Code: International Maritime Code for Dangerous Goods

ICAO: International Civil Aviation Organisation (IATA: The International Air Transport Association)

GHS: Globally Harmonized System of Classification, Labelling and Packaging of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS-Nr.: Chemical Abstracts Service



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Planosan ULTRA

Revision date: 31.03.2021

Product code: 00514-0068

Page 10 of 10

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

