# Safety Data Sheet

Planol **F** 

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 9/16/2025 Revision date: 9/16/2025 Supersedes: 9/10/2024 Version: 3.0 SDS No: 00514-0044

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : BACKOFENREINIGER

Type of product : Detergent

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

# 1.2.1. Relevant identified uses

Intended for general public

Use of the substance/mixture : Cleaning agent

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Planol GmbH + Co. KG Maybachstr. 17 DE 63456 Hanau

T +49 (0) 6181 94570-10, F +49 (0) 6181 94570-29

info@planol.de, www.planol.de

E-mail address of competent person responsible for the SDS: sds@gbk-ingelheim.de

#### 1.4. Emergency telephone number

Emergency number : +49 (0) 6132 / 84463 (GBK GmbH)

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290
Skin corrosion/irritation, Category 1 H314
Serious eye damage/eye irritation, Category 1 H318

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage.

# 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Danger

Contains : sodium hydroxide; caustic soda; sodium alkylbenzenesulfonate

Hazard statements (CLP) : H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read carefully and follow all instructions. P234 - Keep only in original packaging.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS No: 00514-0044

P260 - Do not breathe vapours, mist, dust, spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves, protective clothing, eye protection, face protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P363 - Wash contaminated clothing before reuse. P390 - Absorb spillage to prevent material damage.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Child-resistant fastening : Applicable
Tactile warning : Applicable

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-(2-butoxyethoxy)ethanol Substance with a Community workplace exposure limit	CAS-No.: 112-34-5 EC-No.: 203-961-6 EC Index-No.: 603-096-00-8 REACH-no: 01-2119475104-	≥ 20 - < 25	Eye Irrit. 2, H319
sodium alkylbenzenesulfonate	CAS-No.: 68411-30-3 EC-No.: 270-115-0 REACH-no: 01-2119489428- 22	≥ 5 - < 10	Acute Tox. 4 (Oral), H302 (ATE=1080 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Sodium cumenesulfonate	CAS-No.: 15763-76-5 EC-No.: 239-854-6 REACH-no: 01-2119489411- 37	≥ 3 - < 5	Eye Irrit. 2, H319
sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	≥ 3 - < 5	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SDS No: 00514-0044

Specific concentration limits:			
Name	Product identifier	Specific concentration limits (%)	
sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	$(0.5 \le C < 2)$ Eye Irrit. 2; H319 $(0.5 \le C < 2)$ Skin Irrit. 2; H315 $(2 \le C < 5)$ Skin Corr. 1B; H314 $(5 \le C \le 100)$ Skin Corr. 1A; H314	

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Product does not burn, fire-extinguishing activities according to surrounding.

Explosion hazard : Product is not explosive.

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon oxides (CO, CO2).

# 5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection. Contain the extinguishing fluids by

bunding. Do not allow run-off from fire fighting to enter drains or water courses.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with eyes, skin or mucous membrane. Evacuate the danger area. Evacuate

personnel to a safe area. Stop leak if safe to do so. Notify authorities if product enters

sewers or public waters. Absorb spillage to prevent material damage.

9/16/2025 (Revision date) EU - en 3/13

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SDS No: 00514-0044

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

**Emergency procedures** Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

**Emergency procedures** : Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter drains or water courses.

#### 6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to

prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up Take up liquid spill into absorbent material.

Other information Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed Avoid contact with eyes, skin or mucous membrane.

Precautions for safe handling Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not

breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this Hygiene measures

product. Always wash hands after handling the product.

# 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Store in corrosive resistant container with a resistant inner liner. Keep only in original

container. Store locked up.

Incompatible materials : Acids. Metals.

: Keep away from food, drink and animal feeding stuffs. Information on mixed storage

: Keep out of frost. Store in tightly closed, leak-proof containers. Storage area

Packaging materials : Store always product in container of same material as original container.

#### 7.3. Specific end use(s)

See Section 1.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

2-(2-butoxyethoxy)ethanol (112-34-5)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	2-(2-Butoxyethoxy)ethanol
IOEL TWA	67.5 mg/m³
	10 ppm

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS No: 00514-0044

2-(2-butoxyethoxy)ethanol (112-34-5)		
IOEL STEL	101.2 mg/m³	
	15 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

#### 8.2.2.1. Eye and face protection

#### Eye protection:

Protective goggles (EN 166). Face shield

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Long sleeved protective clothing (DIN EN ISO 6530)

#### Hand protection:

Chemically resistant protective gloves. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Chemically resistant protective gloves	Nitrile rubber (NBR), Chloroprene rubber (CR), Butyl rubber	6 (> 480 minutes)	≥ 0,2		

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Breathing apparatus in the event of aerosol or mist formation. Filter type. P2

#### 8.2.2.4. Thermal hazards

No additional information available

# 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS No: 00514-0044

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : yellowish Odour : Product-specific Odour threshold : Not available Melting point : Not available Freezing point : Not available Boiling point : Not available Flammability : No data available Explosive properties : Product is not explosive.

Oxidising properties : Non oxidizing. Lower explosive limit (LEL) : Not available : Not available Upper explosive limit (UEL) : Not applicable Flash point : Not available Auto-ignition temperature Decomposition temperature : Not available рΗ : 13.5 at 20 °C pH solution concentration : 100 % Viscosity, kinematic : Not available

Solubility : Water: completely miscible

Partition coefficient n-octanol/water (Log Kow)

Vapour pressure

Vapour pressure at 50°C

Density

Relative density

Relative vapour density at 20°C

Particle characteristics

Not available

Not available

Not available

Not available

Not available

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Attacks light metals(Al, Zn) releasing hydrogen gas. Reactions with acids.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

# 10.5. Incompatible materials

Acids. metals.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS No: 00514-0044

## **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met) Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met) Acute toxicity (inhalation) · Not classified (Rased on available data, the classification criteria are not met)

Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)
Sodium cumenesulfonate (15763-7	<b>76-5)</b>
LD50 oral rat	> 7000 mg/kg
2-(2-butoxyethoxy)ethanol (112-34	-5)
LD50 oral rat	5530 mg/kg bodyweight male - (OECD 401 method)
LD50 dermal rabbit	2764 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 2090 - 3645
sodium alkylbenzenesulfonate (68	411-30-3)
LD50 oral rat	1080 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Skin corrosion/irritation	: Causes severe skin burns. pH: 13.5 at 20 °C
Serious eye damage/irritation	: Causes serious eye damage. pH: 13.5 at 20 °C
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
2-(2-butoxyethoxy)ethanol (112-34	-5)
NOAEL (animal/male, F0/P)	> 452 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:
NOAEL (animal/female, F0/P)	> 470 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure Not classified (Based on available data, the classification criteria are not met) Aspiration hazard Not classified (Based on available data, the classification criteria are not met)

# 11.2. Information on other hazards

# 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

No additional information available

# **SECTION 12: Ecological information**

# 12.1. Toxicity

: Before neutralisation, the product may represent a danger to aquatic organisms. Ecology - general

Hazardous to the aquatic environment, short-term : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term : Not classified (Based on available data, the classification criteria are not met)

(chronic)

(511151115)	
Sodium cumenesulfonate (15763-76-5)	
EC50 72h - Algae [1]	> 1000 mg/l (Species: Desmodesmus subspicatus)

9/16/2025 (Revision date) EU - en 7/13

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS No: 00514-0044

sodium hydroxide; caustic soda (1310-73-2)		
EC50 Daphnia 1	40.4 mg/l Ceriodaphnia dubia	
2-(2-butoxyethoxy)ethanol (112-34-5)		
LC50 fish 1	1300 mg/l Test organisms (species): Lepomis macrochirus	
EC50 Daphnia 1	> 100 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [2]	1100 mg/l Raphidocelis subcapitata - (OECD 201 method)	
EC50 96h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
NOEC chronic fish	369 mg/l Quantitative structure-activity relationship (QSAR)	
sodium alkylbenzenesulfonate (68411-30-3)		
LC50 fish 1	1.67 mg/l Test organisms (species): Lepomis macrochirus	
LC50 - Fish [2]	2.88 mg/l Test organisms (species): Pimephales promelas	
EC50 Daphnia 1	2.9 mg/l Test organisms (species): Daphnia magna	
NOEC (chronic)	1.18 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	0.23 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '72 d'	

#### 12.2. Persistence and degradability

No additional information available

# 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Endocrine disrupting properties

No additional information available

# 12.7. Other adverse effects

No additional information available

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Packaging that is not properly emptied must be disposed of as the unused product.

European List of Waste (LoW, EC 2000/532) : 20 01 15\* - alkalines

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

9/16/2025 (Revision date) EU - en 8/13

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS No: 00514-0044

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 1824	UN 1824	UN 1824	UN 1824	UN 1824
14.2. UN proper shippin	g name			
SODIUM HYDROXIDE SOLUTION (MIXTURE)	SODIUM HYDROXIDE SOLUTION (MIXTURE)	Sodium hydroxide solution (MIXTURE)	SODIUM HYDROXIDE SOLUTION (MIXTURE)	SODIUM HYDROXIDE SOLUTION (MIXTURE)
14.3. Transport hazard o	class(es)			
8	8	8	8	8
8	8	8	8	8
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

80

**1824** 

#### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : C5
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP15
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 80

Hazard identification number (Kemler No.) : 8
Orange plates :

Tunnel restriction code (ADR) : E

Transport by sea

Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP2

Stowage category (IMDG) : A

Segregation (IMDG) : SGG18, SG35

Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y840
PCA limited quantity max net quantity (IATA) : 0.5L
PCA packing instructions (IATA) : 851
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 855
CAO max net quantity (IATA) : 30L

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SDS No: 00514-0044

Special provisions (IATA) : A3, A803 ERG code (IATA) : 8L

Inland waterway transport

Classification code (ADN) : C5 Limited quantities (ADN) : 1L Excepted quantities (ADN) : E2 Carriage permitted (ADN) : T Equipment required (ADN) : PP, EP Number of blue cones/lights (ADN) : 0

Rail transport

: C5 Classification code (RID) Limited quantities (RID) : 1L Excepted quantities (RID) : E2 Packing instructions (RID) : P001. IBC02 Transport category (RID) 2

Hazard identification number (RID) 80

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

# **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation (EU) 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation (EU) 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

# Detergent Regulation (EC 648/2004)

#### Labelling of contents:

#### Component

5 % - < 15 % anionic surfactants

#### Seveso Directive (Disaster Risk Reduction)

Seveso Additional information : Not subject to the Seveso III Directive

#### Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

9/16/2025 (Revision date) EU - en 10/13

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS No: 00514-0044

#### **Drug Precursors Regulation (EC 273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# SECTION 16: Other information

Abbreviations and acronyms:		
ACGIH	American Conference of Government Industrial Hygienists	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
OEL	Occupational Exposure Limit	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
CAS-No.	Chemical Abstract Service number	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
COD	Chemical oxygen demand (COD)	
CSA	Chemical safety assessment	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
ED	Endocrine disruptor	
EN	European Standard	
EWC	European waste catalogue	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
Log Kow	Partition coefficient n-octanol/water (Log Kow)	
Log Pow	Partition coefficient n-octanol/water (Log Pow)	
MAK	maximum workplace concentration	
N.O.S.	Not Otherwise Specified	
NOAEC	No-Observed Adverse Effect Concentration	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS No: 00514-0044

Abbreviations and acronyms:		
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OSHA	Occupational Safety & Health Administration	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
PPE	Personal protection equipment	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
TF	Technical function	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
TWA	Time Weighted Average	
UFI	Unique Formula Identifier	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and Very Bioaccumulative	
ADG	Transport of Australian Dangerous Goods	
DOT	Department of Transport	
GHS	Globally Harmonized System of Classification, Labelling and Packaging of Chemicals	
IBC-Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk	
MARPOL 73/78	MARPOL 73/78: International Convention for the Prevention of Pollution From Ships	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
TDG	Transportation of Dangerous Goods	

Other information

: Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Met. Corr. 1	Corrosive to metals, Category 1	
Skin Corr. 1	Skin corrosion/irritation, Category 1	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS No: 00514-0044

Full text of H- and EUH-statements:		
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
H290	May be corrosive to metals.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H412	Harmful to aquatic life with long lasting effects.	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Met. Corr. 1	H290	On basis of test data	
Skin Corr. 1	H314	On basis of test data	
Eye Dam. 1	H318	On basis of test data	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should therefore not be construed as guaranteeing any specific property of the product.